

# Praktika

New generation of mechanical beds



## Patient

- Modern design
- Unique system Ergoframe®



## Staff

- Safe relentless positioning
- Easy bed hygiene



## Management

- Lifetime durability
- Manufactured in Europe according to EN 60601-2-52



# Modern design and lifetime durability

Removable plastic  
bed ends with locks

1

Removable plastic  
mattress platform covers

4

Split plastic  
side rails with colour decor



2

Angle indicator  
of backrest position

5

Lever mechanism  
for bed positioning

3



The unique system ErgoFrame®



The common mattress platform

## VARIABLE BED POSITIONING WITH ERGOFRAME®

The ErgoFrame® system extends the mattress platform in the pelvic area and reduces the pressure load on the tissues in this region when a patient is positioned in the cardiac chair position.

## PRAKTIKA BED IN TWO VERSIONS

New generation of Praktika beds includes Praktika 1 with fixed height of mattress platform. The next version Praktika 2 bed has adjustable height of mattress platform, optionally TR/ATR function and can be centrally braked.

### PRACTICAL DETAILS



*Locking bed ends*



*Accessory rail*




*Protective corner bumpers and additional vertical bumpers*



*Accessory holder*

### FOR PATIENT SAFETY

Complete solution of side rails offers individual settings and ensures maximum patient safety.



Protector for the foot part of bed can be used with single and also split side rails.

A

Extender for single collapsible side rails to increase the possible max. height of the mattress.

B

Single collapsible side rails.

C

# Technical data

| BASIC SPECIFICATION               | Praktika 1                        | Praktika 2      |
|-----------------------------------|-----------------------------------|-----------------|
| External dimensions               | 218 × 99.5 cm                     | 218 × 99.5 cm   |
| Mattress dimensions               | 200 × 90 cm                       | 200 × 90 cm     |
| Max. mattress height              | 16 cm / + 10 cm with the Extender | 16 cm / + 10 cm |
| Mattress platform height          | 55 cm (fixed)                     | 42–76 cm        |
| Max. backrest angle               | 70°                               | 70°             |
| Max. thighrest angle              | 34°                               | 34°             |
| TR/ATR tilt                       | —                                 | 12° / 12°       |
| Ergoframe® (backrest + thighrest) | 10 + 6 cm                         | 10 + 6 cm       |
| Weight of bed                     | 80 kg                             | 125 kg          |
| Safe working load (SWL)           | 200 kg                            | 200 kg          |



---

Members of LINET Group

**LINET spol. s r. o.**

Želečnice 5 | 274 01 Slaný | Czech Republic

tel.: +420 312 576 400 | fax: +420 312 522 668 | e-mail: [info@linet.com](mailto:info@linet.com) | [www.linet.com](http://www.linet.com)

